


PRODUCT SHEET LUNEdot ENDLESS series

LUNEdot Endless Dutch Design day and night.

During the day LUNEDOT is a strong design in your interior and when you light LUNEdot it gives warm endless candle light in the evening.

LUNEdot Endless series

Technical drawing



LUNEDOT product dimensions

Tube: Length 20 cm dia 2,2 cm

Base plate: Ø10 cm, Ø30 cm, Ø60 cm

Package dimensions

Net/gross weight

LUNEDOT set S

26x13x3 cm

350 gram

LUNEDOT base plate M

dia 30 cm

1800 gram

PRODUCT INFORMATION

LUNE. Set S. Consist of base plate plus tube supplied with a candle.

Please note that you need refills and that no "normal/standard" size candle fits in.

Type

Candle and candelbra in one/ candle concept

| | | |
|----------|---|--------------------------|
| Designer | Lieke, The Netherlands 1976 | |
| Color | red, grass and mint green, black, pink, yellow, grey, white, blue. gold | |
| Material | Jacket tube and inside tube | (powdercoated) aluminium |
| | Spring | spring steel |
| | Magnete | ndfeb |
| | Base plate | (powdercoated) steel |
| | Cap | POM |

HOW IT'S MADE

This product is the outcome of LUNEdots years of pioneering research and addoration of candle light; a process that transforms a patented technical solution into a real design object.

The unlimited expressive possibilities that this patented architecture provides have characterized LUNE's trendsetting brand.

Production method:

LUNEdot an almost simple candle (holder) collection consisting of a tube, a base plate, and a (refill) candle.

LUNEdot traditional manufacturing (everything artisanily/traditional), the metal work is (laser) shaped and burned and powdercoated in the Netherlands.

The candles are also manufactured In the Netherlands.



PLEASE ALSO READ AND SEE LUNEdot ENDLESS SERIES INSTRUCTIONS BEFORE USE ON www.lunedot.com/instructions/



INSTALLATION INSTRUCTIONS:



- 1) Put the candle in the coated tube; so the “old fashion candle in its new jacket.” This element together hereafter called “part 1”.
- 2) Put the spring “inside” aluminium, not painted tube; together “part 2”.
- 3) Slowly push part 2 into part 1 and close all by screwing the (magnetic) cap.
- 4) CLICK LUNEdot ENDLESS on its S, M or XL baseplate.
- 5) Enjoy LUNEdot as a strong design object in your interior.

-----Please make sure these steps are taken carefully in the right order-----



WARNING:

- Never move candles when lit
- Never pour water over a candle
- Never use sharp objects to remove wax
- Always place candles away from drafts
- Never leave a burning candle unattended
- Always place candles on a fireproof and wax resistant surface
- Always keep lit candles out of reach of children and pets
- Never burn candles on or near anything that can catch fire
- Melting wax and deform of candle possible at temperature of 25 0 Celsius



CLEANING: - not necessary if you use LUNEdot as instructed-, but if due to wrong use wax comes inside:

- Place object on a sheet of baking paper.
- Place in pre-heated oven at 75 degrees for 10 minutes.
- Wipe tube and base plate with tissue as soon as it comes out of the oven.
- The items will be hot so do take proper precautions.
- and/or for the base plate
- place in the freezer for 2 hours and all left overs of wax can be scabed away with a creditcard or similar.

See www.lunedot.com/instructions/ and or www.lunedot.com under "How LUNE. works"

LUNEDOT candle concept is suitable for candles diameter 16 mm dia 1,6.

Please note that you will get addicted to this LUNEdot candle and will need refills soon-avaible on www.lunedot.com shop and that no "normal/standard" size candle fits in. LUNEdot refills burning hours up to 10 hours.

The product is a work of art, so treat it carefully!